

## II. AMENDMENTS

The following listing of claims replaces all prior listings:

1. (Currently Amended) A computer-based implementation of a method for determining one or more best matching resources, given a resource x and role F, in an matrix-based workflow model, said method comprising:

- a) identifying an organizational unit where said resource x belongs;
- b) identifying all super roles of said role F, if no super roles exist;
- c) returning best matching resource as x if role F is a hierarchical role, else;
- d) iteratively identifying a parent role from said list of super roles based on at least

one search criterion narrower than was used to identify all super roles:

- e) identifying a current role R from said iteratively identified parent role;
- f) identifying in said organizational unit all resources, other than said resource x,

that has said current role R, and if there is at least one identified resource, then returning said identified resource(s) as best matching resource, else;

- g) Identifying all servicing organizational units for said current role R, and
- h) repeating steps e-g, until all best matching resources are returned.

BEST AVAILABLE COPY

2. (Original) A computer based implementation of a method for determining one or more best matching resources, given a resource x and role F, as per claim 1, wherein if no servicing organization units are found in step g, said method further implementing the following steps:

- i) escalating the list of super roles and identifying a new current role R;
- j) repeating said steps e-h for said new current role R and returning best matching resources, and
- k) identifying all parent organizational units (OUPs) of said organizational unit and repeating steps e-h with said OUPs as current organizational unit and returning best matching resources.

3. (Original) A computer-based implementation of a method for determining one or more best matching resources, given a resource x and role F, as per claim 2, wherein if in said step k, no resources are identified, said method further comprises the step of identifying all organizational units (OUGs) with R as a global rule, and repeating steps e-h with said OUGs as current organizational unit, and returning best matching resources.

4. (Original) A computer based implementation of a method for determining one or more best matching resources, given a resource x and role F, as per claim 1, wherein said matrix organization model is a three-dimensional model comprising the following axes: organizational unit, title hierarchy, and functional roles.

5. {Original} A computer-based implementation of a method for determining one or more best matching resources, given a resource x and role F, as per claim 1, wherein said method is network enabled, said network comprising any of the following: local area network (LAN), wide area network (WAN), Internet, HTTP-based network, or PSTN/PBX network.

6. {Currently Amended} A system for automated network-enabled workflow management in a matrix organizational model, said organizational model comprising one or more organizational units, said system comprising:

a) one or more databases storing information regarding design elements required for creating an application, definitions of organizational models, and workflow rules;

b) a search engine interfacing with said one or more databases and utilizing said stored information to determine workflow routing in said matrix organizational model; and

c) a router polling said one or more databases to retrieve workflow requests, and directing said workflow requests to appropriate recipient(s) based on said search engine determinations, wherein the appropriate recipient(s) may include recipients in other organizational units.

7. (Original) A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said search engine further comprises:

a role extractor identifying all roles associated with said organizational models;

a functional link extractor identifying all functional links associated with said organizational model;

an inherited link extractor identifying all inherited links associated with said organizational model, and

a matcher identifying appropriate recipient(s) by matching said workflow requests to said roles in organizational models while traversing a hierarchical tree of said organizational unit, and other organizational units based on said identified functional and inherited links.

8. (Original) A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said matrix organizational model is a three dimensional model and said three dimensions comprise the following axes: organizational unit, title hierarchy, and functional roles.

9. (Original) A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein information regarding said design elements in said organizational model are imported in any one of, or combination of, the following ways: via a local database, via a remote database, imported from an address book or imported from another organizational model.

10. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said network comprises any of the following: local area network (LAN), wide area network (WAN), Internet, HTTP-based networks, or PSTN/PBX network.

11. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said search engine is a rules based search engine.

12. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said one or more databases with definitions of organizational models further comprises definitions of hierarchy, structure and function associated with organizational models.

13. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said system further comprises a statistical analyzer providing a complete statistical analysis of workflow processing including means for tracking workflow cycles by date, event, requestor, or workflow actor.

14. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said system further comprises an automated delegation system that allows users to delegate tasks for re-routing events for temporary process changes.

09/828,710

- 6 -

15. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said router is a JAVA servlet.

16. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said workflow rules are stored in a separate database.

17. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said workflow management is externalized from applications created using said information in said one or more databases.

18. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said definitions of organizational models further include definitions of functional links that extend said workflow process across organizations without defining hierarchical links.

19. [Original] A system for automated network-enabled workflow management in a matrix organizational model, as per claim 6, wherein said search engine follows as many links as needed to resolve said workflow requests by traversing a hierarchical tree of said organizational units in said organizational model, and identifying functional links to other organizations that service said organizational units.

20. [Currently Amended] A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, said organizational model comprising one or more organizational units, said method comprising:

polling one or more databases for one or more work flow requests;

receiving said one or more workflow requests;

identifying appropriate recipient(s) in said matrix organizational model with regard to said one or more workflow requests, based on information stored in said one or more databases regarding design elements required for creating an application, definitions of organizational models, and workflow rules, and

forwarding said one or more requests to said identified appropriate recipient(s) in said matrix organizational model, wherein the appropriate recipient(s) may include recipients in other organizational units.

21. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said step of identifying appropriate recipient(s) using said intelligent search engine further comprises:

identifying all roles associated with said organizational models;

identifying all functional links associated with said organizational model, and

identifying appropriate recipient(s) by matching said workflow requests to said roles in organizational models while traversing a hierarchical tree of said organizational unit and other organizational units based on said identified functional and inherited links.

22. [Original] A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said matrix organizational model is a three dimensional model comprising the following axes: organizational unit, title hierarchy, and functional roles.

23. [Original] A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein information regarding said design elements in said organizational model are imported in any one of, or a combination of, the following ways: via a local database, via a remote database, imported from an address book or imported from another organizational model.

24. [Original] A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said network comprises any of the following: local area network (LAN), wide area network (WAN), Internet, HTTP-based networks, or PSTN/PBX network.

25. [Original] A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said search engine is a rules based search engine.



26. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said method further performs a complete statistical analysis of workflow processing including means for tracking workflow cycles by date, event, requestor, or workflow actor.

27. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said method further allows users to delegate tasks for re-routing events for temporary process changes.

28. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said workflow rules are stored in a separate database.

29. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said definitions of organizational models further include definitions of functional links that extend said workflow process across organizations without defining hierarchical links.

30. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 20, wherein said search engine follows as many links as needed to resolve said workflow requests by traversing a hierarchical tree of said organizational units in said organizational model, and identifying functional links to other organizations that service said organizational units.

09/828,710

- 10 -

31. [Currently Amended] A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, said matrix organizational model comprising one or more organizational units, said method comprising:

- polling one or more databases for one or more work flow requests;
- receiving said one or more workflow requests;
- identifying appropriate recipient(s) in said matrix organizational model with regard to said one or more workflow requests, based on information stored in said one or more databases regarding design elements required for creating an application, definitions of organizational models, and workflow rules wherein the appropriate recipient(s) may include recipients in another organizational unit;
- said step of identifying appropriate recipient(s) further comprises identifying all roles, functional links, and inherited links associated with said organizational models, and identifying appropriate recipient(s) by matching said workflow requests to said roles in organizational models while traversing a hierarchical tree of said organizational unit and other organizational units based on said identified functional and inherited links, and
- forwarding said one or more requests to said identified appropriate recipient(s) in said matrix organizational model; ~~and;~~

32. [Original] A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 31, wherein said matrix organizational model is a three dimensional model comprising the following axes:

organizational unit, title hierarchy, and functional roles.

33. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 31, wherein information regarding said design elements in said organizational model are imported in any one of, or a combination of, the following ways: via a local database, via a remote database, imported from an address book or imported from another organizational model.

34. (Original) A method for automated network-enabled workflow management in a matrix organizational model using an intelligent search engine, as per claim 31, wherein said workflow rules are stored in a separate database.

09/828,710

- 12 -

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**